HenryChemical Co. Ltd.

Tel/Fax: 04-24637097/04-24620280

www. henry-chem. com

CNT List

Single Wall

Single Wall			
#	Description	Spec.	
1	High Purity	Purity:>95wt%	
	Single-walled	OD:<2nm	
	Carbon	Length:1-2 μ m	
	Nanotubes	/5-20 µ m	
2	Purified	Purity:>90wt%	
	Single-walled	OD: 1-2nm	
	Carbon	Length: 1-2 µ m	
	Nanotubes	/5-20 µ m	
3	Hydroxy	Purity:>90wt%	
	Purified	OD: 1-2nm	
	Single-walled	Length: 5-30 µ m	
	carbon		X
	nanotubes		
4	Carboxyl	Purity:>90wt%	
	Purified	OD: 1-2nm	
	Single-walled	Length: 5-30 μ m	
	carbon	(\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
	nanotubes	XY	
5	Short	Purity:>90wt%	
	Single-walled	OD: 1-2nm	
	carbon	Length: 1-3μm	
Á	nanotubes		
6	Short	Purity:>90wt%	
$\langle \lambda \rangle$	Hydroxy	OD: 1-2nm	
	single-walled	Length: 1-3μm	
\\\\\	Crabon		
>	Nanotubes		
7	Short	Purity:>90wt%	
	Carboxyl	OD: 1-2nm	
	single-walled	Length: 1-3μm	
	Crabon		
	Nanotubes		
8	Industrial	Purity:>60wt%	
	Single-walled	OD: 1-2nm	
	carbon	Length:5-30 μ m	
	nanotubes		
9	Industrial	Purity:>60wt%	
	Carboxyl	-OH Content:	
	Single-walled	3.96wt%	
	carbon	ID: 0.8-1.6nm	

	nanotubes	OD: 1-2nm		
		Length: 5-30µm		
		SSA:>407 m /g ₂		
10	Industrial	Purity:>60wt%		
	Carboxyl	-COOH Content:		
	Single-walled	2.73wt%		
	carbon	ID: 0.8-1.6nm		
	nanotubes	OD: 1-2nm		
		Length: 5-30μm		
		SSA:>407 m/g ₂		
			, , ,	
Double Wall			<i></i>	

<u>Double Wall</u>

DOUDIE WALL		
#	Description	spec.
11	Double-walle	Purity:>60wt%
	d Carbon	OD: 2-4nm
	Nanotubes 🔏	Length: ~50 μ m
12	Hydroxy	Purity:>60wt%
	Double-Walle	OD: 2-4nm
	d Crabon	Length: ∼50 µ m
	Nanotubes	
13	Carboxyl	Purity:>60wt%
(V)	Double-Walle	OD: 2-4nm
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	d Crabon	Length: ~50 μ m
Y	Nanotubes	

Reagent-plus Multi wall

#	Description	spec.
14	Purified	Purity:>95wt%
	Multi-walled	OD: <8nm
	carbon	Length:10-30 µ m
	nanotubes	
15	Hydroxy	Purity:>95wt%
	Multi-walled	OD: <8nm
	carbon	Length:10-30 µ m
	nanotubes	
16	Carboxyl	Purity:>95wt%
	Multi wall	OD: <8nm

	•	T 1 10 20		1
	carbon	Length:10-30 μ m		
	nanotubes			
17	Purified	Purity:>95wt%		
	Multi-walled	OD: 8-15nm		
	carbon	Length:∼50 μ m		
	nanotubes			
18	Hydroxy	Purity:>95wt%		
	Multi-walled	OD: 8-15nm		
	carbon	Length:∼50 μ m		
	nanotubes			
19	Carboxyl	Purity:>95wt%		
	Multi wall	OD: 8-15nm		
	carbon	Length:∼50 µ m		
	nanotubes			
20	Purified	Purity:>95wt%		
	Multi-walled	OD: 10-20nm	>	
	carbon	Length: 10-30 µ m	, ,	
	nanotubes		/	
21	Hydroxy	Purity:>95wt%		
	Multi-walled	OD: 10-20nm		
	carbon	Length:10-30 µ m		
	nanotubes 🗸	XY		
22	Carboxyl	Purity:>95wt%		
	Multi wall	OD: 10-20nm		
	carbon	Length: 10-30 µ m		
	nanotubes			
23	Purified	Purity:>95wt%		
	Multi-walled	OD: 20-30nm		
(V)	carbon	Length:10-30 μ m		
\	nanotubes			
24	Hydroxy	Purity:>95wt%		
	Multi-walled	OD: 20-30nm		
	carbon	Length: 10-30 µ m		
	nanotubes			
25	Carboxyl	Purity:>95wt%		
	Multi wall	OD: 20-30nm		
	carbon	Length: 10-30 µ m		
	nanotubes			
26	Purified	Purity:>95wt%		
	Multi-walled	OD: 30-50nm		
	carbon	Length: 10-20 µ m		
	nanotubes			
27	Hydroxy	Purity:>95wt%		
	Multi-walled	OD: 30-50nm		
		·		

	1	I	
	carbon	Length:10-20 µ m	
20	nanotubes		
28	Carboxyl	Purity:>95wt%	
	Multi wall	OD: 30-50nm	
	carbon	Length: 10-20 µ m	
	nanotubes		
29	Purified	Purity:>95wt%	
	Multi-walled	OD: >50nm	
	carbon	Length: 10-20 µ m	
	nanotubes		
30	Hydroxy	Purity:>95wt%	
	Multi-walled	OD: >50nm	
	carbon	Length: 10-20 µ m	
	nanotubes		
31	Carboxyl	Purity:>95wt%	
	Multi wall	OD: >50nm	>
	carbon	Length: 10-20 µ m	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
	nanotubes	, ()	
32	Short Purified	Purity:>95wt%	
	Multi wall	OD: <8nm	
	carbon	Length:0.5-2 µ m	
	nanotubes 🗸	X	
33	Short	Purity:>95wt%	
	Hydroxy	OD: <8nm	
	Multi-walled	Length:0.5-2 µ m	
	carbon		
	nanotubes		
34	Short	Purity:>95wt%	
	Carboxyl	OD: <8nm	
\\\\	Multi wall	Length:0.5-2 µ m	
Y	carbon		
	nanotubes		
35	Short Purified	Purity:>95wt%	
	Multi-walled	OD: 8-15nm	
	carbon	Length: 0.5-2 µ m	
	nanotubes		
36	Short	Purity:>95wt%	
	Hydroxy	OD: 8-15nm	
	Multi-walled	Length:0.5-2 µ m	
	carbon		
	nanotubes		
37	Short	Purity:>95wt%	
	Carboxyl	OD: 8-15nm	
	Multi wall	Length:0.5-2 μ m	

	carbon			
	nanotubes			
38	Short Purified	Danitary 05 rest0/		
36	Multi-walled	Purity:>95wt% OD: 10-20nm		
	carbon			
		Length:0.5-2 μ m		
20	nanotubes	D : 1 > 07 + 10/		
39	Short	Purity:>95wt%		
	Hydroxy	OD: 10-20nm		
	Multi-walled	Length:0.5-2 µ m		
	carbon			
40	nanotubes	D : 05 0/		
40	Short	Purity:>95wt%		
	Carboxyl	OD: 10-20nm		
	Multi wall	Length:0.5-2 µ m	4	
	carbon			
41	nanotubes		\	
41	Short Purified	Purity:>95wt%) ×	
	Multi-walled	OD: 20-30nm		
	carbon	Length:0.5-2 µ m		
12	nanotubes			
42	Short	Purity:>95wt%		
	Hydroxy	OD; 20-30nm		
	Multi-walled	Length:0.5-2 µ m		
	carbon			
42	nanotubes			
43	Short	Purity:>95wt%		
	Carboxyl	OD: 20-30nm		
	Multi wall	Length:0.5-2 µ m		
	carbon			
11	nanotubes			
44	Short Purified	Purity:>95wt%		
	Multi-walled	OD: 30-50nm		
	carbon	Length:0.5-2 µ m		
45	nanotubes			
45	Short	Purity:>95wt%		
	Hydroxy	OD: 30-50nm		
	Multi-walled	Length:0.5-2 µ m		
	carbon			
46	nanotubes			
46	Short	Purity:>95wt%		
	Carboxyl	OD: 30-50nm		
	Multi wall	Length:0.5-2 µ m		
	carbon			
	nanotubes		<u> </u>	

47	Cl D: C 1	Di4> 0.540/		
47	Short Purified	Purity:>95wt%		
	Multi-walled	OD: >50nm		
	carbon	Length:0.5-2 µ m		
40	nanotubes			
48	Short	Purity:>95wt%		
	Hydroxy	OD: >50nm		
	Multi-walled	Length:0.5-2 µ m		
	carbon			
10	nanotubes			
49	Short	Purity:>95wt%		
	Carboxyl	OD: >50nm		
	Multi wall	Length:0.5-2 μ m		
	carbon			
	nanotubes			
50	Graphitized	Purity:>99.9wt%		
	Multi wall	OD: 8-15nm		
	carbon	Length: ∼50 µ m	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
	nanotubes			
51	Graphitized	Purity:>99.9wt%		
	Hydroxy	OD: 8-15nm		
	Multi-walled	Lengthy∼50 µ m		
	carbon	XY		
	nanotubes			
52	Graphitized	Purity:>99.9wt%		
	Carboxyl	OD: 8-15nm		
A.	Multi wall	Length:∼50 µ m		
	carbon			
	nanotubes			
53	Graphitized	Purity:>99.9wt%		
⟨\\\	Purified	OD: 10-20nm		
>	Multi-walled	Length:10-30 µ m		
	carbon			
	nanotubes			
54	Graphitized	Purity:>99.9wt%		
	Hydroxy	OD: 10-20nm		
	Multi-walled	Length:10-30 µ m		
	carbon			
	nanotubes			
55	Graphitized	Purity:>99.9wt%		
	Carboxyl	OD: 10-20nm		
	Multi wall	Length:10-30 μ m		
	carbon			
	nanotubes			
56	Graphitized	Purity:>99.9wt%		
	1 -	· · · · · ·		

	Purified	OD: 20-30nm	
	Multi-walled	Length:10-30 μ m	
	carbon		
	nanotubes		
57	Graphitized	Purity:>99.9wt%	
	Hydroxy	OD: 20-30nm	
	Multi-walled	Length: 10-30 µ m	
	carbon		
	nanotubes		
58	Graphitized	Purity:>99.9wt%	
	Carboxyl	OD: 20-30nm	
	Multi wall	Length: 10-30 µ m	
	carbon		
	nanotubes		
59	Graphitized	Purity:>99.9wt%	1
	Purified	OD: 30-50nm	Ny Y
	Multi-walled	Length: 10-20 µ m	
	carbon	1	
	nanotubes		
60	Graphitized	Purity.>99 9wt%	
	Hydroxy	OD: 30-50nm	
	Multi-walled	Length: 10-20 µ m	
	carbon		
	nanotúbes		
61	Graphitized	Purity:>99.9wt%	
A.	Carboxyl	OD: 30-50nm	
	Multi wall	Length: 10-20 µ m	
	carbon		
	nanotubes		
62	Graphitized	Purity:>99.9wt%	
>	Purified	OD: >50nm	
	Multi-walled	Length: 10-20 µ m	
	carbon		
	nanotubes		
63	Graphitized	Purity:>99.9wt%	
	Hydroxy	OD: >50nm	
	Multi-walled	Length:10-20 µ m	
	carbon		
	nanotubes		
64	Graphitized	Purity:>99.9wt%	
	Carboxyl	OD: >50nm	
	Multi wall	Length:10-20 µ m	
	carbon		
	nanotubes		
		•	<u> </u>

65	NI C : 1	OD 0.17	
03	Ni Coated	OD: 8-15nm	
	Multi-walled	Length: ~50 µ m	
	carbon	CNTs:>38wt%	
	nanotubes	Ni	
		Content:>60wt%	
66	Ni Coated	OD: 10-20nm	
	Multi-walled	Length: 10-30 μ m	
	carbon	CNTs:>38wt%	
	nanotubes	Ni	
		Content:>60wt%	
67	Ni Coated	OD:20-30nm	
	Multi-walled	Length: 10-30 µ m	
	carbon	CNTs:>38wt%	
	nanotubes	Ni	
		Content:>60wt%	
68	Ni Coated	OD: 30-50nm	Y
	Multi-walled	Length: 10-20 µ m	\ <i>Y</i> '
	carbon	CNTs:>38wt%	/
	nanotubes	Ni	
		Content:>60wt%	
69	Ni Coated	OD:>50nm	
	Multi-walled	Length:10-20 µ m	
	carbon	CNTs:>38wt%	
	nanotubes	Ni	
	1	Content:>60wt%	
70	Helical	OD: 100-200nm	
_	Multi-walled	Length: 1-10 µ m	
	carbon	CNTs: >60wt%	
(X)	nanotubes		
71	Flash-ignited	OD:2-50nm	
\	Carbon	Length:~50 µ m	
	Nanotubes	CNT :>50%	
		Fe content: <25%	
	Large-Inner	Purity:>70wt%	
72	Diameter	OD: 30-60nm	
	Carbon	Length: 1-10 µ m	
	Nanotubes		
73	Carbon nano	Purity:>70wt%	
	fibers	OD: 200-600nm	
		Length: 5-50 µ m	
74	Aligned	OD:10-20nm	
	Multi-walled	Length: 30-100	
	carbon	μ m	
	nanotubes		
	nanotabes		

75	Amino	Purity:>95wt%	
	modified	OD:8-15nm	
	Multi-walled	Length: ~50 μ m	
	carbon		
	nanotubes		

Industrial Multi-Wall

#	Description	spec.
76	Industrial	Purity: >91%
	Grade	OD:8-15nm
	Multi-walled	Length: 3-12 µ m
	carbon	
	nanotubes	
77	Industrial	Purity:>90wt%
	Grade	OD: 8-15nm
	Multi-walled	Length: 30-50 µ m
	carbon	
	nanotubes	
78	Industrial	Purity:>90wt%
	Grade	OD: 10-20nm
	Multi-walled	Length: 20-100 µ m
	carbon	X, Y
	nanotubes	
79	Industrial	Purity:>90wt%
	Grade	OD: 10-30nm
	Multi-walled	Length: 10-30 µ m
	carbon	
	nanotubes	
80	Industrial	Purity:>90wt%
\\\\	Hydroxy	OD: 10-30nm
Y	Grade	Length: 10-30 μ m
	Multi-walled	
	carbon	
	nanotubes	
81	Industrial	Purity:>90wt%
	Carboxyl	OD: 10-30nm
	Grade	Length: 10-30 μ m
	Multi-walled	
	carbon	
	nanotubes	
82	Industrial	Purity:>90wt%
for lithium battery	Grade	OD: 20-40nm
	Multi-walled	Length: 10-30 μ m
	carbon	

	mamatuhaa	
92	nanotubes	D : 00 0/
83	Industrial	Purity:>90wt%
	Hydroxy	OD: 20-40nm
	Grade	Length: 10-30 µ m
	Multi-walled	
	carbon	
	nanotubes	
84	Industrial	Purity:>90wt%
	Carboxyl	OD: 20-40nm
	Grade	Length: 10-30 µ m
	Multi-walled	
	carbon	
	nanotubes	
85	Industrial	Purity:>90wt%
	Grade	OD: >50nm
	Multi-walled	Length: 10-20 µ m
	carbon	
	nanotubes	
86	Industrial	Purity:>90wt%
	Hydroxy	OD: >50mm
	Grade	Length 10-20 μ m
	Multi-walled	X
	carbon	
	nanotubes	
87	Industrial	Purity:>90wt%
	Carboxyl	OD: >50nm
	Grade	Length: 10-20 µ m
	Multi-walled	
(X)'	carbon	
	nanotubes	

